

## **CERTIFICATE**

Name and address of the certifying body:

Brachi Testing Services S.r.l. Unipersonale

Via Sabadell, 162/21

59100 -Prato -Po (ITALY)

Name and address of the chemical formulation producer applying for the certification

DETERCOLOR SRL - Via Rio di sopra, 19 -36014 SANTORSO VI

Scope of the certification. For the MRLS certification there needs to be a link to the Level

ZDHC MRSL Conformance Level 1 version 3.1

Statement that the chemical formulation being certified do comply/being conformant to the ZDHC MRSL Vers. 1.1, (in future certification reference to relevant MRSL needs to be made)

The sample conforms to the ZDHC MRSL version 3.1

Name of the chemical formulation

(042014) STONE AP 20-40 NEUTRO 200%

Usage/application of the chemical's formulation in manufacturing processes

1.2.9 Enzymes

Certification date and Certification expiry date

Certification date 08/01/2024; expiry date 08/01/2026

A unique certificate number. This number needs to be included into the test reports as well for future reference

IL DIRETTORE P.I. Primo Brachi

o unicamente ai campioni così come ricevuti, se non diversamente indicato nel rapporto di The declared results refer only to the samples as received, if not ot stessi rappresentano. I campioni analizzati si conservano per tre mesi. Il presente rapporto they represent. The analysed samples will be kept for three months. prova, e non alla partita che gli stessi rappresentano. I campioni analizzati si conservano per tre mesi. Il presente rapporto di prova ha valore solo se in originale e non può essere riprodotto parzialmente, salvo approvazione scritta del laboratorio.

be partially reproduced without written approval of the laboratory.



## Official signature on the certifying body on the certificate

P.I. Primo Braghi Direttore

I risultati enunciati si riferiscono unicamente ai campioni così come ricevuti, se non diversamente indicato nel rapporto di prova, e non alla partita che gli stessi rappresentano. I campioni analizzati si conservano per tre mesi. Il presente rapporto di prova ha valore solo se in originale e non può essere riprodotto parzialmente, salvo approvazione scritta del laboratorio.